



## Milling Chucks

### SUPER LOCK | Milling Power Chuck - SK DIN 69871



**Type 1)** CT20S max. 20,000 rpm 1,500 N/m Power  
**Type 2)** CT32S max. 15,000 rpm 4,000 N/m Power



ID Code	Item-Code	Type	Stock	d	D	L	l	l <sub>1</sub>	M <sub>1</sub>	l <sub>2</sub>
NT029	<b>SK40-CT20S-90</b>	1	■	20	52	90	80	-	12	15
NT129	<b>SK40-CT32S-105</b>	2	■	32	73	105	85	23	18	20
NT027	<b>Set-SK40</b>	1	■	20	52	90	80	-	12	15
NT232	<b>SK50-CT20S-105</b>	1	■	20	52	105	80	-	12	15
NT030	<b>SK50-CT32S-105</b>	2	■	32	73	105	120	-	18	20
NT028	<b>Set-SK50</b>	2	■	32	73	105	120	-	18	20

■ = Stock | Germany

#### Content of Sets:

NT027	<b>Set-SK40</b>	1x <b>SK40-CT20S-90</b>	(Chuck)
		1x <b>MC20- 6, 8, 10, 12, 16</b>	(Collets)
NT028	<b>Set-SK50</b>	1x <b>SK50-CT32S-105</b>	(Chuck)
		1x <b>MC32- 6, 8, 10, 12, 16, 20, 25</b>	(Collets)

#### PARTS


#### Wrench



	ID Code	Item Code	Stock
<b>for CT20S</b>	NT009	HS-2	■
<b>for CT32S</b>	NT010	HS-3	■

Milling Chucks

**MC20** | Collets for CT20S





ID Code	Item-Code	Stock	Shank Ø
NT014	MC20-4	■	4
NT015	MC20-6	■	6
NT016	MC20-8	■	8
NT011	MC20-10	■	10
NT012	MC20-12	■	12
NT013	MC20-16	■	16
	direct		20


■ = Stock | Germany

**CHUCKING LENGTH OF CUTTING TOOL (RECOMMENDED):**

- Ø 4, 6, 8 mm  
L min. 30 mm
- Ø 10, 12, 16, 20 mm  
L min. 40 mm



**MC20-OH** | Collets for CT20S





ID Code	Item-Code	Stock	Shank Ø
NT042	MC20-4OH	■	4
NT043	MC20-5OH	■	5
NT044	MC20-6OH	■	6
NT045	MC20-7OH	■	7
NT046	MC20-8OH	■	8
NT047	MC20-9OH	■	9
NT037	MC20-10OH	■	10
NT038	MC20-11OH	■	11
NT039	MC20-12OH	■	12
NT040	MC20-13OH	■	13
	direct		20

■ = Stock | Germany


**CHUCKING LENGTH OF CUTTING TOOL (RECOMMENDED):**

- Ø 4, 5, 6, 7, 8, 9 mm  
L min. 30 mm
- Ø 10, 11, 12, 13, 20 mm  
L min. 40 mm



### Milling Chucks



#### MC32 | Collets for CT32S




ID Code	Item-Code	Stock	Shank Ø
NT022	MC32-6	■	6
NT023	MC32-8	■	8
NT017	MC32-10	■	10
NT018	MC32-12	■	12
NT019	MC32-16	■	16
NT020	MC32-20	■	20
NT021	MC32-25	■	25
	direct		32

■ = Stock | Germany

#### CHUCKING LENGTH OF CUTTING TOOL (RECOMMENDED):



#### MC32-OH | Collets for CT32S



ID Code	Item-Code	Stock	Shank Ø
NT052	MC32-4OH	■	4
NT053	MC32-5OH	■	5
NT054	MC32-6OH	■	6
NT055	MC32-7OH	■	7
NT056	MC32-8OH	■	8
NT057	MC32-9OH	■	9
NT048	MC32-10OH	■	10
NT049	MC32-11OH	■	11
NT151	MC32-12OH	■	12
NT050	MC32-13OH	■	13
NT152	MC32-16OH	■	16
NT153	MC32-20OH	■	20
NT154	MC32-25OH	■	25
	direct		32

■ = Stock | Germany

#### CHUCKING LENGTH OF CUTTING TOOL (RECOMMENDED):

